

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	fuhwei near lwo.in.	US-PGPUB; USPAT	OR	ON	2009/04/07 09:16
L2	0	fuh near wei near lwo.in.	US-PGPUB; USPAT	OR	ON	2009/04/07 09:16
L3	87373	(ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2009/04/07 09:16
L4	95	L3 and (java and (api or (application adj program\$4 adj interface))) .clm.	US-PGPUB; USPAT	OR	ON	2009/04/07 09:16
L5	6	("20020144018" "20030028549" "20030097650" "20030110313" "20030126310" "6591417"). PN.	US-PGPUB; USPAT	OR	ON	2009/04/07 09:16
L6	1412	717/120-123.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L7	2007	719/328-329.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L8	79	(L6 or L7) and (compar\$4 with (api or (application adj program\$4 adj interface)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L9	54	L8 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L10	134	match\$4 near3 (class adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16

L11	59	L10 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L12	38	L11 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L13	2403	compar\$4 with (api or (application adj program\$4 adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L14	39	L13 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L15	58	("20020040936" "5022028" "5313616" "5408665" "5446901" "5490249" "5565316" "5613101" "5615137" "5652835" "5668999" "5701408" "5748964" "5761510" "5884316" "5925140" "5966702" "5974255" "5999731" "6002871" "6005942" "6011918" "6038378" "6052732" "6058393" "6067639" "6075940" "6092147" "6125442" "6138112" "6178504" "6182158" "6202070" "6205579" "6212633" "6230312" "6230314" "6230318" "6243859" "6247171" "6262492" "6272674" "6347398" "6349344" "6360334" "6370686" "6389467" "6405309" "6418554" "6425118" "6477666" "6477702" "6519767" "6526571" "6539539" "6549930" "6668289" "RE37722").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/07 09:16

L16	12	matching adj class adj names	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L17	101	compar\$4 with (class adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L18	8	L17 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L19	7218	compar\$4 near3 class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L20	114	L19 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L21	84	L20 and (@pd< "20040220" or @ad< "20040220" or @prad< "20040220" or @rlad< "20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L22	11	("5404525" "5535389" "5574898" "5890176" "6141795" "6175855" "6182286" "6209128" "6216140" "6289509" "6289510").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/07 09:16
L23	391	((class adj name) near3 "same") or ((match\$4 or identical) near3 (class adj name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L24	37	L23 and java and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16

L25	6	("20020133643" "5966702" "6430569" "6618769" "6618855" "6654793").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/07 09:16
L26	46	(remov\$4 or delet\$4) near3 (class adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L27	448140	(remov\$4 or delet\$4) near3 (method or function or procedure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L28	2371	(remov\$4 or delet\$4) near3 (("same" or identical) near (method or function or procedure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L29	0	L28 and java and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L30	0	L28 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L31	29	L28 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L32	7492	(remov\$4 or delet\$4) with (("same" or identical) adj (method or function or procedure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L33	3	L32 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16

L34	69	L32 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L35	5	L28 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L36	4	(remov\$4 or delet\$4) near3 ((match\$4 or "same" or identical) adj (class adj name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L37	7	(remov\$4 or delet\$4) with ((match\$4 or "same" or identical) adj (class adj name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L38	50	("20060249436" "6042312" "4299496" "5475797" "5912028" "6035243" "7035003" "20050122578" "20060174719" "5753092" "4379503" "4949031" "5749481" "6167817" "4591991" "4922978" "5674557" "5831857" "5849222" "5903663" "6438323" "6835290" "20030150712" "20050132853" "4787814" "4884474" "4991463" "5431332" "5679054" "6687328" "20030039332" "5199158" RE35481 "6237509" H002073 "5205197" "5544694" "5942699" "3670905" "4248563" "4304521" "4491475" "4536119" "4632620" "4807777" "4825500" "4863340" "4883140" "5249131" "5293322").pn.	US-PGPUB; USPAT	OR	ON	2009/04/07 09:16
L39	7698	(remov\$4 or delet\$4) with ((match\$4 or "same" or identical) adj (method or function or procedure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16

L40	81	L39 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L41	33	L39 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L42	152	L39 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L43	1619	(report or summary) with api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L44	5	(report or summary) with (modif\$4 near3 api)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L45	1619	(report or summary) with api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L46	92	L45 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L47	7	(US-20030110313-\$ or US- 20040153827-\$ or US- 20040230948-\$).did. or (US- 6591417-\$ or US-6308182-\$ or US-6986132-\$ or US- 6415435-\$ or US-6851111-\$ or US-6430564-\$).did.	US-PGPUB; USPAT	OR	ON	2009/04/07 09:16
L48	1	L47 and (class near path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16

L49	611	class adj path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L50	358	L49 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L51	154	L50 and jvm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L52	63	L51 and byte\$1 code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L53	55	L52 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L54	947	(L6 or L7) and @pd>="20070402"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L55	417	L54 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L56	240	L55 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L57	2	"6651186".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16

L58	1412	717/120-123.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L59	2007	719/328-329.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L60	582	(L58 or L59) and @pd> = "20080429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L61	273	L60 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L62	163	L61 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:16
L63	289	(L58 or L59) and @pd> = "20081008"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:22
L64	140	63 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:22
L65	92	64 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 09:22

4/ 7/ 2009 9:32:37 AM

C:\Documents and Settings\qchen\My Documents\EAST\Workspaces\doctet\ 10783002.wsp